2 exceptional books of Vesaliana

THREE VESALIAN ESSAYS TO ACCOMPANY THE ICONES ANATOMICAE OF 1934

Conceived by Dr. Lambert upon the publication of the Icones in 1934 through the joint efforts of the New York Academy of Medicine and the Library of the University of Munich, these essays discuss many points of Vesaliana. Dr. Weigand, from his vast experience as a printer, discusses the printing from the woodcuts for the original edition of the Fabrica (1534), the wandering of the blocks, and their use 390 years later. Mr. Ivins, formerly curator of prints, Metropolitan Museum of Art, New York, considers the artistic aspects of the woodcuts. Dr. Lambert examines the attitudes and opinions with regard to the historiated initials which are used in the chapters of Vesalius's writings.

Lambert, Weigand, and Ivins

in preparation probable price \$6.50

THE EPITOME OF ANDREAS VESALIUS

The first English translation of Vesalius's famous guide to the Fabrica. The translator has used a modern and technical phraseology, one more in keeping with the language now in use by the medical profession. A reproduction of the original Latin text follows the translation and includes the thirteen meticulous woodcut prints. (1949)

by L. R. Lind

\$7.50



THE MACMILLAN COMPANY 60 Fifth Ave. New York 11

predictable control of hay fever

Chlor-Trimeton Maleate, milligram for milligram the most potent antihistamine available, allows the physician to predict a definitive and favorable result in symptomatic control of hay fever. Often successful when others fail, and producing few and minimal side effects, Chlor-Trimeton Maleate may supersede other compounds designed for the same purpose.

Chlor-Trimeton maleate tablets

(brand of chlorprophenpyridamine maleate)

 \bigcirc

 \bigcirc

Chlor-Trimeton Maleate is available in 4 mg. tablets.

•т.м.

Schering corporation · bloomfield, n. j.





antibacterial action plus...

greater solubility Gantrisin is a sulfonamide so soluble that there is no danger of renal blocking and no need for alkalinization. higher blood level Gantrisin not only produces a higher blood level but also provides a wider antibacterial spectrum. economy Gantrisin is far more economical than antibiotics and triple sulfonamides. less sensitization Gantrisin is a single drug—not a mixture of several sulfonamides—so that there is less likelihood of sensitization. GANTRISIN®-brand of sulfisoxazole

(3,4-dimethyl-5-sulfanilamido-isoxazole)

TABLETS . AMPULS . SYRUP

HOFFMANN-LA ROCHE INC.

Roche Park • Nutley 10 • New Jersey

"...the only drug we have seen
that allays anxiety without
clouding consciousness"

J.A.M.A. 140:672 (June 25) 1949



- to alleviate pronounced anxiety and tension
- as an adjunct in the treatment of chronic alcoholics

DOSAGE

In anxiety tension states:

As little as 0.5 Gm., given orally every few hours, has produced a good response. However, for optimum effect, 0.7! Gm. or more is given several times a day.

As an adjunct in the treatment of chronic alcoholics:

As much as 3 Gm. orally every four hours has been found useful in the acute stage. This dosage is reduced when the patient becomes more manageable. (If Tolserol is given too soon after the patient drank alcohol, the toxic effect of the alcohol may be potentiated. For this reason, Tolserol should not be administered until six hours have elapsed since the patient drank alcohol.)

Tablets, 0.5 Gm., 0.25 Gm.; Capsules, 0.25 Gm.; Elixir, 0.1 Gm. per cc.; Solution, 2% (intravenous).

Tolserol (Squibb Mephenesin)


SQUIBB 745 FIFTH AVENUE, NEW YORK 22, NEW YORK MANUFACTURING CHEMISTS TO THE MEDICAL PROPESSION SINCE 1880

Topical therapy... effective and safe for continued use

• because Terramycin is well tolerated

• because bacterial resistance is not produced

• because the medication may be stored at room temperature for 12 months without significant loss of potency



Terranycine

for topical use only

CRYSTALLINE

OINTMENT

An ointment of Crystalline Terramycin Hydrochloride in a petrolatum base. Each Gm. of ointment provides 30 mg. of Terramycin.

indicated for:

superficial pyogenic infections

pyoderma

pustular dermatitis minor wound infections

infections associated with minor burns

prophylaxis

particularly valuable in mixed infections

In severe local infections which may become systemic, the ointment should be used as an adjunct to oral therapy with Crystalline Terramycin Hydrochloride Capsules.

supplied: Tubes containing 1 oz. (28.4 Gm.)







Prelude to asthma?

not necessarily...

Tedral, taken at first sign of attack, often forestalls severe symptoms.

in 15 minutes...Tedral brings symptomatic relief with a definite increase in vital capacity. Breathing becomes easier as Tedral relaxes smooth muscle, reduces tissue edema, provides mild sedation.

for 4 full hours...Tedral maintains more normal respiration for a sustained period—not just a momentary pause in the attack.

Prompt and prolonged relief with Tedral can be initiated any time, day or night, whenever needed without fear of incapacitating side effects.

 Tedral provides:

 theophylline
 2 gr.

 ephedrine
 3/8 gr.

 phenobarbital
 1/8 gr.

 in boxes of 24, 120 and 1000 tablets



CHILCOTT

Laboratories DIVISION OF The Maltine Company MORRIS PLAINS, NEW JERSEY



PROVIDE ALL THE FACTORS OF CLINICALLY PROVED VALUE FOR THE COMPLETE TREAT-MENT OF ANEMIAS

ONE PULVULE RETICULEX CONTAINS:

MINOT AND MURPHY
COHN, MINOT, ALLES, AND SALTER
CASTLE AND MINOT

WALDEN AND CLOWES

LIVER-STOMACH CONCENTRATE, LILLY

400 mg.

FOWLER AND BARER

FERROUS SULFATE, ANHYDROUS, 200 mg.

MOORE

VITAMIN C (Ascorbic Acid), 50 mg.

BETHELL, MEYERS, AND NELIGH

FOLIC ACID, 0.33 mg.

SHORB

* As determined microbiologically against vitamin B₁₂ standard.


VITAMIN B₁₂
(Activity Equivalent)
10 micrograms*

Detailed information on Pulvules 'Reticules' is personally supplied by your Lilly medical service representative.

ELI LILLY AND COMPANY
INDIANAPOLIS 6, INDIANA, U.S.A.







respond to the antispasmodic action of Pavatrine, combined with the mild central nervous system sedation of Phenobarbital—as exhibited in Pavatrine with Phenobarbital.

Pavatrine is unique in that it exerts two types of spasmolysis—neurotropic and musculotropic—for relief of gastric hypermotil-

ity, cardiospasm, pylorospasm, spasticity of the duodenum including the sphincter of Oddi, bladder spasm and dysmenorrhea.

For the medical management of gallbladder disease, Pavatrine with Phenobarbital is useful in conjunction with the hydrocholeretic, Ketochol.

PAVATRINE WITH PHENOBARBITAL

(β -diethylaminoethyl fluorene-9-carboxylate hydrochloride)

RESEARCH IN THE SERVICE OF MEDICINE SEARLE

Mead Johnson & Company presents

An achievement in pharmaceutical elegance

MULCIN

6 essential vitamins in
a water-dispersible emulsion
of unexcelled flavor
and physical qualities

A refreshing orange flavor, neither too sweet nor too sour, and a texture of remarkable smoothness make Mulcin a

vitamin supplement pleasing to patients. It is light and non-sticky, and flows readily from bottle to spoon.

Children, adolescents and adults enjoy taking Mulcin directly from the spoon. For infants, the dose may be mixed with formula, fruit juice or water.

Ingredients of quality, skilled formulation and meticulous manufacturing controls are combined to make Mulcin a product of pharmaceutical elegance and a distinguished new member of Mead's vitamin family.



MEAD JOHNSON & CO. EVANSVILLE 21, IND., U.S.A.

EACH TEASPOON OF MULCIN SUPPLIES:

190						
Vitamin A						3000 units
Vitamin D	٠	٠			٠	1000 units
Thiamine					٠	1.0 mg.
Riboflavin			٠			1.2 mg.
Niacinamie	le			٠		8.0 mg.
Accorbic A	-:4					E0

Available in 4 oz. and 16 oz. bottles

In TRICHOMONIASIS



means better control

THE high degree of its success... (98% effective as reported by Reich, Button and Nechtow*)... is really not surprising to those familiar with the superb detergent, demulcent and bacteriostatic action of ARGYROL. In its adapted formulation as ARGYPULVIS, and in forms specifically suited to office insufflation and to supplemental home use, it has become a medication of choice



For Use by the Physician 7-gram bottles fitting Holmspray or

equivalent powder-blower (in cartons of 3)

For Home Use by the Patient 2-gram capsule by the nationt (in bottles of 12)



INTRODUCTORY TO PHYSICIANS: *On request we will send professional samples of ARCYPULVIS (both forms), report. (Use coupon.)

A. C. Barnes Company

Dept. AM-51, New Brunswick, N. J.

Address

City.....State....

ARGYPULVIS

ARCYROL and ARCYPULVIS are registered trademarks, the property of A. C. BARNES CO., NEW BRUNSWICK, N. J.

Patient Carries on Normal Pursuits

Throughout the course of treatment for urinary disorders many patients continue their usual activities, thanks to analgesia produced with orally administered Pyridium.

Pyridium can be safely administered concomitantly with antibiotics, the sulfonamides, and other specific therapy.

An analysis of symptomatic relief in 118 cases treated with Pyridium shows:*

Urinary frequency promptly relieved in 85% of cases.

Pain and burning decreased in 93% of cases.

*Kirwin, T. J., Lowsley, O. S., and Manning, J.: Effects of Pyridium in certain urogenital infections, Am. J. Surg. 62: 330-335, December 1943.

The complete story of Pyridium and its clinical uses is available on request.

THROUGH GRATIFYING RELIEF of the symptoms of urinary tract infection



PYRIDIUM®

(Brand of Phenylazo-diamino-pyridine HCl)

Pyridium is the trade-mark of Nepera Chemical Co., Inc., successor to Pyridium Corporation, for its brand of phenylazodiamino-pyridine HCl. Merck & Co., Inc. sole distributor in the United States.

MERCK & CO., INC.

Manufacturing Chemists

RAHWAY, NEW JERSEY

In Canada: MERCK & CO. Limited-Montreal

Mat cigarette do you smoke?

• As a doctor, you are familiar with the confirmatory tests necessary to prove a fact. Why not apply this principle to your choice of a cigarette? Why not make your own 30-Day Camel Mildness Test?

It's a sensible cigarette test!

No tricks — no one-puff decisions!
You smoke Camels regularly — for
30 days. Then you decide! Yes!
Make a thorough, day-after-day,
pack-after-pack test of Camel's
choice tobaccos. Find out over a
reasonable period of time how mild
a Camel can be — how good tasting
Camels are! Find out in your own

"T-Zone". Compare Camels for mildness and for flavor. See if the 30-Day Camel Mildness Test doesn't give you more smoking enjoyment than you've ever had from any other cigarette!



R. J. Reynolds Tobacco Company, Winston-Salem, N. C.

More People

Smoke Camels than any

Make your own 30-Day Camel Mildness Test

in your own "T-Zone"—that's T for Throat,


T for Taste. See if you don't change to

Camels for keeps.

OTHER CIGARETTE!

MILD HYPERTROPHIC ARTHRITIS OF LUMBOSACRAL JOINT TENDERNESS OF ERECTOR SPINAE MUSCLES

Photograph of patient 27 years old. Trouble began nine months ago when lifting her baby as it grew toward one year of age. Back pain at lumbosacral joint is persistent; radiating to the abdomen. Made worse by cold damp weather and prolonged walking.



Patient experiences great relief with application of Camp reinforced Lumbosacral Support. Rest and support is given to the lumbosacral joint, its ligaments and to the erector spinae muscles, thus improving the body mechanics, note especially the decreased dorsal curve. The downward pull of the gluteal muscles on the posterior crests of the ilia is relieved.

Camp Orthopedic Supports help many patients suffering from osteo-arthritis of the spine

When the dorsal region of the spine is involved, higher supports than the one illustrated are provided by Camp.

All lend themselves readily to reinforcement.



S. H. CAMP & COMPANY • Jackson, Michigan

World's Largest Manufacturers of Scientific Supports

OFFICES IN NEW YORK . CHICAGO . WINDSOR, ONTARIO . LONDON, ENGLAND







Medical Men Can Recognize... The Superior Quality of Walker-Gordon Certified Milks

They are particularly applicable to special dietary requirements

Certified Raw or Pasteurized Whole Milk . . . a natural milk, raw or pasteurized, with long-keeping qualities, excellent for growing children.

Certified Vitamin D Homogenized-Pasteurized Milk... contains a minimum of 400 U.S.P. units of Vitamin D per quart. For babies and growing children. Low curd tension and easily digested.

Certified Low Fat (Skimmed) Milk... contains all the minerals and water soluble vitamins of whole milk but has fats removed... recommended for weight control and weight reduction programs.

Walker-Gordon Acidophilus...a lactobacillus acidophilus cultured milk (not less than 500,000,000 viable L. acidophilus organisms per milliliter)... used for treating constipation, diarrhea, vomiting, etc.

Walker-Gordon Protein Milk...lactic acid milk with added amount of curd... used successfully for cases of celiac disease, diarrhea, and feeding premature infants.

Walker-Gordon Lactic Milk...made with pure cultures of streptococcus lacticus and lactobacillus bulgaricus...physicians have found it useful for infant feeding formulas and for older people with digestive disturbances.

The Medical Profession Can Safely Recommend Walker-Gordon Certified Milks. Delivered fresh within one day of milking by leading dairy distributors in New York, New Jersey and Pennsylvania.

FREE! Descriptive book, "Technical Control and Supervision of Certified Milk," sent without obligation on request.

Walker-Gordon Laboratory Company

Plainsboro, N. J.

Phone Plainsboro 2750

Certified by the Medical Milk Commissions of the Counties of New York, Kings, Hudson, and Philadelphia



for relaxation of reflex spasm

You may provide prompt relief for many of your patients suffering from hemiplegia, Parkinsonism, low back pain and other neuromuscular disturbances by prescribing Oranixon 'Organon'-the first Councilaccepted brand of mephenesin. Try Oranixon for some of your patients whose outlook seems hopeless-patients whose mentality and motor functions are "imprisoned" by their reflexes. You'll find that Oranixon has the unusual action of quieting overactive reflex motor centers without interfering with voluntary actions or normal reflexes. You can usually relax spasm and rigidity within a few days by prescribing 3 to 5 grams of Oranixon per day. Oranixon is available in 250-mg and 500-mg oral tablets and in an elixir containing 400 mg of mephenesin per teaspoonful.

Organon inc. • orange, n. j.

ORANIXON



Organon

Herald Square, N. Y.

Parkchester, Bronx

White Plains, N. Y.



Jamaica, Queens

Flatbush, Brooklyn

MACY'S PRESCRIPTION DEPARTMENT

Macy's is up-to-the-minute. We make every effort to have all new or scarce drugs on hand for your prescription. We follow the development of each new product, obtain it as soon as it is available. And when you prescribe, you can be assured that your prescription is accurately compounded exactly as you write it, carefully checked by our supervising pharmacists.

No wonder so many physicians prefer Macy's Prescription Department.

CHARLES B. TOWNS HOSPITAL Established 1901

FOR THE TREATMENT OF ALCOHOLISM

NARCOTIC AND BARBITURATE

ADDICTIONS EXCLUSIVELY

Complete Medical & Psychiatric Treatment at predetermined cest. Privacy of patient is assured—if desired.

Literature on Request

Edward B. Towns, Director

293 Central Park West, N. Y. 24, N. Y. SChuyler 4-0770

Member American Hospital Association

MAGER & GOUGELMAN, INC.

A CENTURY OF SERVICE 1851-1951

PLASTIC AND GLASS EYES



- PRIVATE FITTINGS
- PERSONAL ATTENTION
- EXPERIENCE & SKILL

510 Madison Ave., N. Y. 22 Telephone PLaza 5-3756

WHETHER THE REASONS ARE PHYSICAL OR PSYCHOLOGIC:



When for a physical or psychologic reason, the physician decides to depend on a spermatocidal jelly to protect the patient, he cannot do better than prescribe the "RAMSES"* Vaginal Jelly† Set No. 3.

Used as directed, the plastic applicator deposits 5 cc. of "RAMSES" Vaginal Jelly over the cervical os.

The cohesive and adherent properties of "RAMSES" Vaginal Jelly are of such high degree that the cervix remains occluded for as long as ten hours after coitus. "RAMSES" Vaginal Jelly, with its adjusted melting point, is not excessively lubricating or liquefying. "RAMSES" Vaginal Jelly exceeds the minimum spermatocidal requirement of the Council on Pharmacy and Chemistry of the American Medical Association.

AVAILABLE in a regular 3-ounce tube and an economy-size 5-ounce tube.



Photo taken after insertion of "RAMSES" Vaginal Jelly. Os occluded.



Photo taken ten hours after coitus. Occlusion still manifest.

Jelly stained with nonspermatocidal concentration of methylene blue for photographic purposes.



gynecological division

JULIUS SCHMID, INC., 423 West 55th St., New York 19, N. Y. quality first since 1883

*The word "RAMSES" is a registered trademark of Julius Schmid, Inc. † Active Ingredients: Dodecaethyleneglycol Monolaurate 5%; Boric Acid 1%; Alcohol 5%.



THIS PROFESSIONAL SERVICE

costs no more for your patients . . .

YOUR PATIENTS pay not one penny more than the fair trade retail price for the support you prescribe . . . not a penny extra for the benefit of a nurse's professional care and fitting.

CAMP SUPPORTS - KENDRICK and BAUER & BLACK ELASTIC HOSIERY - IDENTICAL BREAST FORMS



133 EAST FIFTY-EIGHTH STREET NEW YORK 22, N. Y. SUITE 201

PLAZA 5-6328



the modern therapy in VAGINITIS

50% of all women patients exhibit vaginal discharge, and pH is the index.

Since acidity is the most important therapeutic factor in vaginitis, DOMOGYN, with an optimum pH of 4.2 quickly and effectively controls the condition and reestablishes optimum acidity, and a normal vaginal flora.

R

One teaspoonful of bulk DOMOGYN, or the contents of a DOMOGYN Packette in 2 quarts of warm water as a soothing therapeutic douche.

Available at all drug stores



DOME CHEMICALS, INC.

24th GRADUATE FORTNIGHT

October 8 to 19, 1951

Subject:

DISORDERS OF THE CIRCULATORY SYSTEM


THE NEW YORK

ACADEMY OF MEDICINE

2 East 103 Street, New York



SULFOSE...Triple Sulfonamide Suspension... Provides Higher and Longer Lasting Blood Levels



Clinical comparison of blood sulfonamide levels after discontinuance of medication (Dosage, 40 cc. initially, then 10 cc. q. 6 h. for total of 24 hours). SULFOSE and the control preparation have the same sulfonamide composition.

SULFOSE Suspension is unusually palatable . . . stable . . . easy to measure because it pours freely.

Each teaspoonful (5 cc.) contains 0.5 Gm. Total sulfonamides—0.166 Gm. each of sulfadiazine, sulfamerazine and sulfamethazine.

SUPPLIED in bottles of 1 pint.

Also available in convenient tablet form; each tablet is equivalent, in sulfonamide composition, to one teaspoonful suspension.



TRIPLE SULFONAMIDE SUSPENSION, WYETH



WYETH INCORPORATED • PHILADELPHIA 2, PENNA.

Hands... one of the most important assets of a surgeon.

INSTRUMENTS... too, are essential assets of a surgeon, and who should know better than we that there can be no substitute for instruments of proven quality. Our stock carries nothing labeled "just as good."

You will remember Quality . . . Long after you have forgotten Price.

COCHRANE PHYSICIARS' SUPPLIES, Inc.

133 EAST 58th STREET . NEW YORK 22,N.Y.

PHONE-PLaza 3-5533, 3-5534, 3-5491



James F. Best, Pres.
Lepnard W. McHugh, Sec'y-Treas




- Implicit in the credo of the Physicians' Home is the responsibility it cherishes for our colleagues in distress.
- In extending beneficiary aid to aged physicians or their widows in their own home communities, our problems are greater, our needs larger and the costs higher.
- Will you be a partner in our 1951 program? We need your contribution, cooperation and support.

Make checks payable to the

PHYSICIANS' HOME

52 East 66th Street

New York 21





FOR YOUR PATIENT

with Bronchial Asthma, Hay Fever, Urticaria

LUASMIN

CAPSULES

PLAIN

Ifor prompt action)

30

TABLETS

ENTERIC-COATED (for delayed action)

One capsule and one tablet; taken at bedtime will provide almost all patients with eight hours relief and sleep. The relief can be sustained by using the capsules during the day at 4 hour intervals as required.

Each capsule and enteric-coated tablet contains:


Theophylline Sodium Acetate(3 gr.) 0.2 Gms. Ephedrine Sulfate(½ gr.) 30 Mg. Phenobarbital Sodium(½ gr.) 30 Mg.

Capsules and tablets in half the above potency available for children and mild cases in adults.

For samples — just send your Rx blank marked NYAM-5

Brewers EST. 1052

BREWER & COMPANY, INC.
WORCESTER 8, MASSACHUSETTS U.S.A.



THENFADIL, a new antihistaminic, has proved to be highly effective even in bronchial asthma. Experimentally in animals, Thenfadil, (N,N-dimethyl-N'-(3-thenyl)-N'-(2-pyridyl) ethylenediamine hydrochloride) has been shown to be up to eight times more active against histamine reaction than several older antihistaminics. Clinically, Thenfadil produces excellent results in the common allergic disorders. It is comparatively well tolerated, side effects occurring in only 14 per cent of cases—mostly transient sedation. Winthrop-Stearns Inc., New York 18, N. Y., Windsor, Ont.



SARATOGA GEYSER WATER



may be helpful in conditions where the patient's natural inclination is to ingest foodstuffs deficient in alkaline ash residue. The rich alkalinity of Geyser Water will tend to restore the alkaline reserve to normal, in a most pleasant fashion.

For literature, write
WALTER S. McCLELLAN, M.D., Medical Director
610 Saratoga Springs
New York

THE STATE OF NEW YORK . . . THE SARATOGA SPA

SHOE ALTERATIONS

FROM OUR PRESCRIPTION FILES...

When proper shoes, with or without alterations, are indicated you can recommend Pediformes with confidence.

R Pediforme

MANHATTAN 34 WEST 36th STREET
BROOKLYN 288 LIVINGSTON STREET
FLATBUSH 842 FLATBUSH AVENUE
EAST ORANGE — HACKENSACK — NEW ROCHELLE — HEMPSTEAD

Inner border of toe and heel wedge with leather counter reinforcement or scaphoid pad.

tablets ampuls powder suppositories

high theophylline content, ready solubility for rapid therapeutic effects in:

Bronchial Asthma
Paroxysmal Dyspnea
Cheyne-Stokes Respiration

dubin aminophyllin



(theophylline-ethylenediamine)

H. E. DUBIN LABORATORIES, Inc. 250 E. 43rd St., New York 17, N.Y.



Specialists in Plastic and Glass Artificial Human Eyes Exclusively

REFERRED CASES CAREFULLY ATTENDED

FRIED & KOHLER, Inc.

665 FIFTH AVENUE near 53rd Street

NEW YORK, N. Y. Tel. Eldorado 5-1970



Whoever you are, whatever you do, wherever you may be-



when you think of refreshment, think of Coca-Cola





For Coca-Cola makes any pause

the pause that refreshes

and ice-cold Coca-Cola is everywhere







PROUD TO HAVE

STOWN UP
WITH YOU, SON...

If you're like many other doctors, you became accustomed to using Mallinckrodt chemicals in your student days—and as a professional man, you continue to use Mallinckrodt medical products and prescription chemicals.

Such loyalty is no accident. In 1919—about half a century after the founding of this business — Edward Mallinckrodt, Sr. expressed its continuing policy:

"We realized from the start that business depends on reciprocal relations and confidence; that we would have to establish a reputation for fair, honorable, liberal dealings and to make it to the interest of the buyer to place his orders with us, by supplying goods of the highest quality at competitive prices, giving prompt service and endeavoring to satisfy our customers as far as possible in every respect."

MALLINCKRODT CHEMICAL WORKS . St. Louis . New York . Montreal



ETHER FOR ANESTHESIA • SODA LIME •
PRECIPITATED BARIUM SULFATE •
UROKON SODIUM 30% • HIPPURAN •
OVER 1500 PRESCRIPTION CHEMICALS



MERCUHYDRIN

effective, well tolerated... a divretic of choice

"Reaser and Burch, using radioactive isotopes, have confirmed earlier evidence that mercurial diuretics greatly increase the urinary loss of sodium. The sodium diuresis precedes water diuresis by two to four hours, and sodium excretion per day may be increased sevenfold while water excretion is merely doubled."


Editorial: J.A.M.A. 135:576, Nov. 1, 1947.

"... The concentration of sodium in the urine was increased nearly two and one-half times by the injection of the mercurial diuretic, while the average total excretion of sodium in 24 hours was increased more than four times by MERCUHYDRIN injections."

Griggs, D. E., and Johns, V. J.: California Med. 69:133, Aug. 1948.

MERCUHYDRIN Sodium (brand of meralluride sodium) is available in 1 cc. and 2 cc. ampuls.

Lakeside Laboratories, INC., MILWAUKEE 1, WISCONSIN



for greater convenience and flexibility in therapy

1. Terramycin ORUBROPS

The Only Broad-Spectrum Antibiotic Available in Drop-Dose Form provides 200 mg. of Crystalline Terramycin Hydrochloride per cc.; approximately 50 mg. of Crystalline Terramycin Hydrochloride in each 9 drops.

Supplied: Crystalline Terramycin Hydrochloride Oral Drops, in 10 cc. bottles with specially calibrated dropper.



Drops and Elixir



both provide

Cherry-color appeal and cherry-mint flavor to encourage adherence to the prescribed regimen.



*Formerly Terrabon

The Only Broad-Spectrum Antibiotic Available As An Elixir. Each teaspoonful (5 cc.) provides 250 mg. of Crystalline Terra-

Supplied: Crystalline Terramycin Hydrochloride Elixir, in bottles containing 1 fl. oz.

The availability of these 2 potent liquid concentrates now permits a further simplification of dosage schedules in mild and severe infections, and with patients at all age and weight levels.

Antibiotic Division



CHAS. PFIZER & CO., INC., Brooklyn 6, N. Y.

1941 · A DECADE OF PROGRESS IN ANTIBIOTIC THERAPY · 1951

mycin Hydrochloride.